

## OFFICE OF THE SUPERINTENDING ENGINEER RESEARCH CIRCLE IRRIGATION RESEARCH INSTITUTE ROORKEE-247667



Telephones: +91-1332-265174; Fax: +91 - 1332 - 262487 *E-mail: uttarkhandwrd@gmail.com* 

# **NATIONAL COMPETITIVE BIDDING FOR**

#### (Two-Envelope Bidding Process with e-Procurement)

### e-Tender Notice No. 12/SE(R)/ e-Quotation/2020-21 dated 08.01.2021

Superintending Engineer (Research Circle), Irrigation Research Institute, Roorkee on behalf of "Governor of Uttarakhand" invites item-wise rates through e-Tender for "Supply and Installation of Universal testing machine (100 kN) at Irrigation Research Institute, Roorkee" under "Two Bid System". The details of work are as mentioned below:

| S. No. | Name of work  | Quantity | Validity of<br>Tender | Period of completion |
|--------|---|----------|-----------------------|----------------------|
| 1      | 2   | 3        | 4                     | 5                    |
| 1      | SUPPLYANDINSTALLATIONOFUNIVERSAL TESTING MACHINE (100 kN) ATIRRIGATIONRESEARCHINSTITUTE,ROORKEE | 01 No.   | 120 Days              | 1.5 Months           |

#### **Key Dates**

| 1.  | Bid Reference   | : | 12/SE(R)/ e-Quotation/       |
|-----|---|---|------------------------------|
|     |   |   | 2020-21 dated 08.01.2021     |
| 2.  | Date of calling   | : | 08.01.2021                   |
| 3.  | Date of online publication                                | : | 10.01.2021 10:00 AM          |
| 4.  | Date of commencement of downloading of bid document       | : | 10.01.2021 10:30 AM          |
| 5.  | Last date for seeking clarification, if any.              | : | 19.01.2021 5:00 PM           |
| 6.  | Bid Submission Start Date                                 | : | 29.01.2021 3:00 PM           |
| 7.  | Last date for down loading of bid document from           | : | 11.02.2021 2:30 PM           |
|     | www.uktenders.gov.in                                      |   |                              |
| 8.  | Last date and time for bid submission/uploading of bid on | : | 11.02.2021 2:30 PM           |
|     | www.uktenders.gov.in                                      |   |                              |
| 9.  | Time and date of opening of Technical Bids                | : | 11.02.2021 3:00 PM           |
| 10. | Place of opening of bids and address for communication    | : | Office of the                |
|     |   |   | Superintending Engineer,     |
|     |   |   | Research Circle, Irrigation  |
|     |   |   | Research Institute, Roorkee- |
|     |   |   | 247667 (Uttarakhand)         |

For more details please log on to:<u>www.uktenders.gov.in</u>

Signature Not Verified Digitally signed by Shankar Kumar Saha Date program of the Standard Standard Standard Standard Standard T Location research Institute, Roorkee

### **Terms and Conditions:**

- 1- The Rate quoted shall be F.O.R. Roorkee and shall be inclusive of installation, demonstration, calibration, training etc. and all prevailing taxes.
- 2- Financial bid/price/offer of only technically qualified bidder(s) will be appened and date of financial bid shall be commenced later on.
- 3- The bidder has to submit the Calibration Certificate from NABL Accredited Laboratory at the time of installation.
- 4- The above rates shall be valid for a minimum period of 120 days from the date of opening of financial bid (in the stamp paper of Rs. 100).
- 5- The Quotationer(s)/Bidder(s) shall have to supply within 45 days after the receipt of supply order.
- 6- The comprehensive warrantee will be of minimum 01 year after issuing of installation certificate by the department and comprehensive AMC period of 01 year will be started after completion of 01 year warrentee period.
- 7- The quantity of instrument/machine mentioned above can be reduced or increased upto any extent depending on the requirement at the time of purchase.
- 8- The 90% of the cost of the apparatus/machine shall be paid only after satisfactory supply, installation, demonstration, calibration, training to IRI Officers and Staff at IRI, Rookee etc. complete. Balance 10% shall be paid in two installments after every six months after commencement of the commissioning of the machine.
- 9- Payment towards comprehensive warranty and comprehensive AMC shall be paid after completion of the activities each.
- 10- The Quotationer(s)/Bidder(s) shall have to submit 'Calibration Certificate' from any NABL Accredited Laboratory.
- 11- Conditional/incomplete quotation shall not be accepted and the undersigned reserves the right to reject anyone or all quotation without assigning any reason.
- 12- Bidder shall have to submit a copy of supply order of the relevant machine/equipment supplied by him/them in last seven year.

## **Technical Specification:**

| Name of<br>Machine/Equipment  | Accessories required for<br>the tests   | Specifications  |  |  |
|---|---|---|--|--|
| (1)   | (2)   | (3)   |  |  |
| Universal Testing<br>Machine (UTM)<br>capacity 100 KN (with<br>least count 5 N) with all<br>accessories<br>(Anaiog/Digital) | <ol> <li>Static bending</li> <li>Impact bending</li> <li>Compressive strength<br/>(Parallel/Perpendicular to<br/>grain)</li> <li>Surface hardness</li> <li>Shear strength<br/>(Radialffangential)</li> <li>Tensile Strength<br/>(Parallel/Perpendicular to<br/>grain)</li> <li>Cleavage Test</li> <li>Nail &amp; Screw pulling or<br/>withdrawal</li> <li>Glue Adhesion Test<br/>(Glue Shear Strength)</li> <li>Modulus of rupture<br/>(Parallel/Perpendicular to<br/>grain)</li> <li>Modulus of elasticity<br/>(Parallel/Perpendicular to<br/>grain)</li> <li>Modulus of elasticity<br/>(Parallel/Perpendicular to<br/>grain)</li> </ol> | <ul> <li>UTM should comply all accessories to perform all tests as mentioned in coloumn 3 alongwith all the attachments/grips as per IS: 1708 (Part I to 18), IS: 1734, IS: 2380 (Part 4) &amp; IS: 4020.</li> <li>Load Capacity:10 Ton (Least Count = 0.5 K g.)</li> <li>ANALOG</li> <li>Dial gauge with least count = 0.02 mm</li> <li>DIGITAL</li> <li>No. of Load Shell:Three</li> <li>i) Load shell with an interval 0-2 MT, Rate of Loading/speed 0.1 mm/min.</li> <li>ii) Load shell with an interval 0-5 MT, Rate of Loading/speed 0.5 mm/min.</li> <li>iii) Load shell with an interval 0-10 MT, Rate of Loading/speed 1.0 mm/min</li> </ul> |  |  |

## TECHNICAL RESPONSIVENESS FORM

#### **Summary of Instructions**

- (i) Particulars of Manufacturer and local agent cum representative are to be given under rows Model and Address.
- (ii) All entry boxes in column "Specification and Standards as offered in by Bidder" shall be filled-in accurately and comprehensively. Quantitative fields shall be filled in accurately. It is not acceptable to use 'Yes', No, Compliant or similar evading words. Following format is designed to help the Bidder to understand the requirements of the equipment being procured. The Bidder must describe in the format how his bid responds to the technical requirements of the equipment. Bidder to note that one or two word responses (e.g. "Yes", "No" "will comply" or similar evading words) are normally not sufficient to confirm the responsiveness with the technical requirements, hence elaborate responses are sought from the bidders. In case of deviation on the following technical requirement of equipment is not as per minimum criteria mentioned, the bids may be declared non-responsive.

- (iii) Requested materials and information shall be enclosed with the bid and be unambiguously associated with instruments as offered in the bid
- (iv) Negligence to comply with the instructions and requirements as stated above makes the bid liable to be rejected.

| Required Specifications and standards                                 | Specification and standard as offered in by Bidder |
|---|--|
| Make:   |  |
| Model:  |  |
| Manufacturer Name, address, email, phone, website, fax                |  |
| Load Capacity 10 Ton 10 Ton (Least Count = 0.5 Kg.)                   |  |
| Analogue Dial gauge with least count 0.02 mm                          |  |
| No. of Load Shell: 3  |  |
| Load shell with an interval 0-2 MT, Rate of Loading/speed 0.1 mm/min. |  |
| Load shell with an interval 0-5 MT, Rate of Loading/speed 0.5 mm/min. |  |
| Load shell with an interval 0-10 MT, Rate of Loading/speed 1.0 mm/min |  |
| Accessories:  |  |
| Static bending  |  |
| Impact bending  |  |
| Compressive strength (Parallel/Perpendicular to grain)                |  |
| Surface hardness  |  |
| Shear strength(Radialffangential)                                     |  |
| Tensile Strength (Parallel/Perpendicular to grain)                    |  |
| Cleavage Test   |  |
| Nail & Screw pulling or withdrawal                                    |  |
| Glue Adhesion Test (Glue Shear Strength)                              |  |
| Modulus of rupture (Parallel/Perpendicular to grain)                  |  |
| Modulus of elasticity (Parallel/Perpendicular to grain)               |  |